



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-000059-LIC

Blue Slushie

Sample ID: 2507361.137

Strain: Blue Slushie Matrix:

Concentrates & Extracts

Type: Vape

Sample Size: ; Batch:

Produced:

Collected: 07/01/2025

Received: 07/01/2025

Completed: 07/03/2025

Batch#:

Client

Between The Lines, LLC

Lic. #

350 Paularino Ave

Costa Mesa, CA 92626



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	07/01/2025	Complete
Foreign Matter	07/03/2025	Complete
Heavy Metals	07/02/2025	Pass
Microbials	07/02/2025	Pass
Mycotoxins	07/02/2025	Pass
GCMS Pesticides	07/03/2025	Pass
LCMS Pesticides	07/02/2025	Pass
Residual Solvents	07/02/2025	Pass

Cannabinoids

Complete

35.363%

Total THC

1.059%

Total CBD

87.341%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
CBC	0.171	0.455	ND	ND
CBD	0.455	0.909	1.0593	10.593
CBDa	0.341	0.909	ND	ND
CBG	0.455	0.909	0.6897	6.897
CBN	0.171	0.455	ND	ND
Δ8-THC	0.341	0.909	ND	ND
Δ9-THC	0.341	0.909	0.2448	2.448
THCa	0.227	0.455	40.0439	400.439
THCV	0.455	0.909	ND	ND
Total THC			35.363	353.633
Total CBD			1.059	10.593
Total CBG			0.690	6.897
Total			87.341	873.412

Date Tested: 07/01/2025

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zaharkaylo

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
<http://excelbislabs.com>
Lic# C8-0000059-LIC

Blue Slushie

Sample ID: 2507361.137
Strain: Blue Slushie Matrix:
Concentrates & Extracts
Type: Vape
Sample Size: ; Batch:

Produced:
Collected: 07/01/2025
Received: 07/01/2025
Completed: 07/03/2025
Batch#:

Client
Between The Lines, LLC
Lic. #
350 Paularino Ave
Costa Mesa, CA 92626

Cannabinoids

Analyte	LOD mg/g	LOQ mg/g	Result %	Complete Result mg/g
HHC	0.257	0.780	50.2289	502.289
Total			87.341	873.412

EXCELBIS
LABS

Total THC = THCa * 0.877 + Δ9-THC + Δ8 THC; Total CBD = CBDA * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
Cannabinoids: HPLC, SOP-004
Water Activity: Water Activity Meter, SOP-012
Moisture Content: Moisture Analyzer, SOP-011
Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS
All Rights Reserved
coa.support@con.dentlims.com
(866) 506-5866
www.con.dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
<http://excelbislabs.com>
Lic# C8-0000059-LIC

Blue Slushie

Sample ID: 2507361.137

Strain: Blue Slushie Matrix:

Concentrates & Extracts

Type: Vape

Sample Size: ; Batch:

Produced:

Collected: 07/01/2025

Received: 07/01/2025

Completed: 07/03/2025

Batch#:

Client

Between The Lines, LLC

Lic. #

350 Paularino Ave

Costa Mesa, CA 92626

GC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Captan	0.054	0.097	0.7	ND	Pass
Chlordane (trans + cis)	0.058	0.098	0.058	ND	Pass
Chlorfenapyr	0.056	0.097	0.056	ND	Pass
Cyuthrin	0.052	0.097	2	ND	Pass
Cypermethrin	0.054	0.097	1	ND	Pass
Parathion Methyl	0.039	0.097	0.039	ND	Pass
Pentachloronitrobenzene (Quintozene)	0.062	0.097	0.1	ND	Pass

Mycotoxins

Pass

Analytes	LOD	LOQ	Limit	Conc.	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
A atoxin B1	4.0000	5.0000		ND	Tested
A atoxin B2	4.0000	5.0000		ND	Tested
A atoxin G1	4.0000	5.0000		ND	Tested
A atoxin G2	4.0000	5.0000		ND	Tested
Ochratoxin A	10.0000	16.0000	20	ND	Pass
Total A atoxins			20	ND	Pass

Microbials

Pass

Analyte	Limit	Detected / Not Detected	Status
	RFU/g	RFU/g	
Aspergillus avus	0	Not Detected	Pass
Aspergillus fumigatus	0	Not Detected	Pass
Aspergillus niger	0	Not Detected	Pass
Aspergillus terreus	0	Not Detected	Pass
Shiga toxin-producing E. Coli	0	Not Detected	Pass
Salmonella SPP	0	Not Detected	Pass

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.0150	0.05	0.2	<LOQ	Pass
Cadmium	0.0113	0.05	0.2	ND	Pass
Lead	0.00615	0.05	0.5	ND	Pass
Mercury	0.00126	0.005	0.1	0.0110	Pass

GCMS Date Tested: 07/03/2025

Pesticides: GC-MS/MS, GCMS Method SOP-006

LCMS Date Tested: 07/02/2025

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested: 07/02/2025

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested: 07/02/2025

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zaharkaylo

Con dent LIMS
All Rights Reserved
coa.support@con.dentlims.com
(866) 506-5866
www.con.dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-000059-LIC

Blue Slushie

Sample ID: 2507361.137

Strain: Blue Slushie Matrix:

Concentrates & Extracts

Type: Vape

Sample Size: ; Batch:

Produced:

Collected: 07/01/2025

Received: 07/01/2025

Completed: 07/03/2025

Batch#:

Client

Between The Lines, LLC

Lic. #

350 Paularino Ave

Costa Mesa, CA 92626

LC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.043	0.097	0.1	ND	Pass	Imazalil	0.043	0.097	0.1	ND	Pass
Acephate	0.019	0.097	0.1	ND	Pass	Imidacloprid	0.019	0.097	0.1	ND	Pass
Acequinocyl	0.031	0.097	0.1	ND	Pass	Kresoxim Methyl	0.031	0.097	0.1	ND	Pass
Acetamiprid	0.023	0.097	0.1	ND	Pass	Malathion	0.023	0.097	0.1	ND	Pass
Aldicarb	0.029	0.097	0.029	ND	Pass	Metalaxyl	0.029	0.097	0.029	ND	Pass
Azoxystrobin	0.025	0.097	0.1	ND	Pass	Methiocarb	0.025	0.097	0.1	ND	Pass
Bifenazate	0.031	0.097	0.1	ND	Pass	Methomyl	0.031	0.097	0.1	ND	Pass
Bifenthrin	0.033	0.097	3	ND	Pass	Mevinphos	0.033	0.097	3	ND	Pass
Boscalid	0.021	0.097	0.1	ND	Pass	Myclobutanil	0.021	0.097	0.1	ND	Pass
Carbaryl	0.025	0.097	0.5	ND	Pass	Naled	0.025	0.097	0.5	ND	Pass
Carbofuran	0.033	0.097	0.033	ND	Pass	Oxamyl	0.033	0.097	0.033	ND	Pass
Chlorantraniliprole	0.025	0.097	10	ND	Pass	Paclobutrazol	0.025	0.097	10	ND	Pass
Chlorpyrifos	0.019	0.097	0.019	ND	Pass	Permethrin (trans + cis)	0.019	0.097	0.019	ND	Pass
Clofentezine	0.035	0.097	0.1	ND	Pass	Phosmet	0.035	0.097	0.1	ND	Pass
Coumaphos	0.039	0.097	0.039	ND	Pass	Piperonyl Butoxide	0.039	0.097	0.039	ND	Pass
Daminozide	0.019	0.097	0.019	ND	Pass	Prallethrin	0.019	0.097	0.019	ND	Pass
Diazinon	0.031	0.097	0.1	ND	Pass	Propiconazole	0.031	0.097	0.1	ND	Pass
Dichlorvos	0.06	0.097	0.06	ND	Pass	Propoxur	0.06	0.097	0.06	ND	Pass
Dimethoate	0.027	0.097	0.027	ND	Pass	Pyrethrins (Cinerin +	0.027	0.097	0.027	ND	Pass
Dimethomorph (I + II)	0.033	0.1	2	ND	Pass	Jasmolin + Pyrethrin)	0.033	0.1	2	ND	Pass
Ethoprophos	0.023	0.097	0.023	ND	Pass	Pyridaben	0.023	0.097	0.023	ND	Pass
Etofenprox	0.041	0.097	0.041	ND	Pass	Spinetoram (J + L)	0.041	0.097	0.041	ND	Pass
Etoazole	0.027	0.097	0.1	ND	Pass	Spinosyn (A + D)	0.027	0.097	0.1	ND	Pass
Fenhexamid	0.031	0.097	0.1	ND	Pass	Spiromesifen	0.031	0.097	0.1	ND	Pass
Fenoxycarb	0.041	0.097	0.041	ND	Pass	Spirotetramat	0.041	0.097	0.041	ND	Pass
Fenpyroximate	0.023	0.097	0.1	ND	Pass	Spiroxamine	0.023	0.097	0.1	ND	Pass
Fipronil	0.037	0.097	0.037	ND	Pass	Tebuconazole	0.037	0.097	0.037	ND	Pass
Flonicamid	0.039	0.097	0.1	ND	Pass	Thiacloprid	0.039	0.097	0.1	ND	Pass
Fludioxonil	0.029	0.097	0.1	ND	Pass	Thiamethoxam	0.029	0.097	0.1	ND	Pass
Hexythiazox	0.043	0.097	0.1	ND	Pass	Trifloxystrobin	0.043	0.097	0.1	ND	Pass

LCMS Date Tested: 07/02/2025

Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zaharkaylo

Con dent LIMS
All Rights Reserved
coa.support@con.dentlms.com
(866) 506-5866
www.con.dentlms.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs
1920 E Warner Avenue
Santa Ana, CA 92705

(714) 340-7099
http://excelbislabs.com
Lic# C8-0000059-LIC

Blue Slushie

Sample ID: 2507361.137

Strain: Blue Slushie Matrix:

Concentrates & Extracts

Type: Vape

Sample Size: ; Batch:

Produced:

Collected: 07/01/2025

Received: 07/01/2025

Completed: 07/03/2025

Batch#:

Client

Between The Lines, LLC

Lic. #

350 Paularino Ave

Costa Mesa, CA 92626

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
Acetone	µg/g	µg/g	µg/g	µg/g	Pass
Acetonitrile	15.4688	46.875	5000	ND	Pass
Benzene	15.4688	46.875	410	ND	Pass
Butane	0.1547	0.4688	1	ND	Pass
Chloroform 1, 2-	15.4688	46.875	5000	ND	Pass
Dichloroethane	0.1547	0.4688	1	ND	Pass
Ethanol	0.1547	0.4688	1	ND	Pass
Ethyl	15.4688	46.875	5000	ND	Pass
Acetate	15.4688	46.875	5000	ND	Pass
Ethyl Ether	15.4688	46.875	5000	ND	Pass
Ethylene Oxide	0.1547	0.4688	1	ND	Pass
Heptane	15.4688	46.875	5000	ND	Pass
Hexane	15.4688	46.875	290	ND	Pass
Isopropyl	15.4688	46.875	5000	ND	Pass
Alcohol	15.4688	46.875	3000	ND	Pass
Methanol	0.1547	0.4688	1	ND	Pass
Methylene Chloride	15.4688	46.875	5000	ND	Pass
Pentane	15.4688	46.875	5000	ND	Pass
Propane	15.4688	46.875	890	ND	Pass
Toluene	46.4063	140.625	2170	ND	Pass
Total Xylenes (o,m,p)	0.1547	0.4688	1	ND	Pass
Trichloroethylene					

EXCELBIS
LABS

Date Tested: 07/02/2025

Residual Solvents: HS-GC-MS RS Method SOP-009



Accreditation #128081
ISO/IEC 17025:2017

Dr. Jerry White PhD Bryan Zahalkaylo

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.