

Green Creek| Cartridge

Lab ID: 230726-598-MUH(3)-5

METRC Batch: ; METRC Sample:
Sample ID: 2307PHS0924.2532
Strain: Green Creek
Matrix: Concentrates & Extracts
Type: Other
Sample Size: ; Batch:

Produced:
Collected:
Received: 07/27/2023
Completed: 08/01/2023
Batch#:

Producer
Muha Meds
Lic. #
181 W Huntington DR
Monrovia, CA 91016



Summary

Test	Date Tested	Result
Batch	07/27/2023	Pass
Cannabinoids		Pass

Cannabinoids

Pass

ND	ND	90.254%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
THCa	0.01	0.01	ND	ND
Δ9-THC	0.01	0.01	ND	ND
Δ8-THC	0.01	0.01	ND	ND
THCVa	0.01	0.10	ND	ND
THCV	0.01	0.10	ND	ND
CBDa	0.01	0.01	ND	ND
CBD	0.01	0.01	ND	ND
CBDVa	0.01	0.10	ND	ND
CBDV	0.01	0.10	ND	ND
CBN	0.01	0.10	ND	ND
CBGa	0.01	0.10	ND	ND
CBG	0.01	0.10	ND	ND
CBC	0.01	0.10	ND	ND
(6aR,9S)-d10-THC	0.01	0.01	ND	ND
(6aR,9R)-d10-THC	0.01	0.01	ND	ND
HHC			90.254	902.54
Total THC			ND	ND
Total CBD			ND	ND
Total			90.254	902.54

Notes: 1g Cartridge

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717



Rkeledj

Raquel Keledjian
Lab Director
08/01/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian